

JUL 6 - 2005

K051498

**510(K) SUMMARY**

This summary of 510(K) safety and effectiveness information is being submitted in Accordance with requirements of SMDA 1990 and 21 CFR 807.92.

The assigned 510(K) number is:

**1. Submitter's Identification:**

Mr. Nick Bien  
Ever Global Enterprise Corporation  
Long Thanh Industrial Zone  
Taman Village, Long Thanh District  
Dong Nai Province, Vietnam

Date Summary Prepared: April 15, 2005

**2. Name of the Device:**

Ever Global Enterprise Corporation  
Disposable Powdered Vinyl Exam Glove Yellow Color

**3. Predicate Device Information:**

Assured Medical Supply Company, Ltd.  
Vinyl Examination Glove (K932054)

**4. Device description:**

Classified by FDA's General and Plastic Surgery Device panel as  
Class 1, 21 CFR 880.6250, Powder-Free Vinyl Patient Examination Glove, 80LYZ,  
and meets all requirements of ASTM Standard D5250-00E4.

**5. Intended Use:**

A patient examination glove is a disposable device intended for medical purposes that is worn on the examiner's hand or finger to prevent contamination between patient and examiner.

**6. Comparison to Predicate Devices:**

Ever Global Enterprise Corporation's Disposable Powdered Vinyl Exam Glove, Yellow Color is substantially equivalent to the device manufactured by Assured Medical Supply Company, Ltd. (K932054) except for the yellow color additive being added to this glove.

**7. Discussion of Non-Clinical tests Performed for Determination of Substantial Equivalence are as follows:**

The standards used for Ever Global Enterprise Corporation's glove production are Based on ASTM D5250-00E4. All testing meets requirements for Physical and Dimensions Testing conducted on gloves, Inspection level S-2, AQL 4.0.

The FDA 1000 ml Watertight Test based on ASTM D-5151-99 was also conducted with samplings of AQL 2.5, Inspection level I, meeting these requirements. Primary Skin irritation and Skin Sensitization (allergic contact dermatitis) testing was conducted with results showing no primary skin irritant or sensitization reactions.

There are no special labeling claims and we do not claim our gloves as hypoallergenic on our labels.

**8. Discussion of Clinic Tests Performed:**

Not applicable – There is no Hypoallergenic Claim.

**9. Conclusions:**

Ever Global Enterprise Corporation's Disposable Powdered Vinyl Exam Glove, Yellow Color conform fully to ASTM D-5250-00E4 standard as well as applicable 21CFR references, and, meets pinhole FDA requirements, biocompatibility requirements and labeling claims as shown by data in Section 7. There are no safety/efficacy issues or new claims from the "substantial equivalence" products cited.



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JUL 6 - 2005

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. Nick Bien  
Manager  
Ever Global Enterprise Corporation  
Long Thanh Industrial Zone  
Taman Village, Long Thanh  
District Dong Nai Province,  
VIETNAM

Re: K051498

Trade/Device Name: Disposable Powdered Vinyl Exam Glove Yellow Color  
Regulation Number: 21 CFR 880.6250  
Regulation Name: Patient Examination Gloves  
Regulatory Class: I  
Product Code: LYZ  
Dated: April 15, 2005  
Received: June 7, 2005

Dear Mr. Bein:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

**Indications for Use**

**Applicant: EVER GLOBAL ENTERPRISE CORPORATION**

**510(k) Number (if known):** K051498

**Device Name:** Disposable Powdered Vinyl Exam Glove Yellow Color

**Indications for Use:**

A PATIENT EXAMINATION GLOVES IS A DISPOSABLE DEVICE  
INTENDED FOR MEDICAL PURPOSE THAT IS WORN ON THE  
EXAMINER'S HAND OR FINGERS TO PREVENT CONTAMINATION  
BETWEEN PATIENT AND EXAMINER.

Prescription Use \_\_\_\_\_ AND/OR Over-The-Counter Use X  
(Part 21 CFR 801 Subpart D) (21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER

PAGE OF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Shirley H. Muehlebach 2/15/05  
(Division Sign-Off)  
Division of Anesthesiology, General Hospital,  
Infection Control, Dental Devices

6

510(k) Number: K051498